


Roller Blind System

Optima 250A



System Types Optima 250A

Standard mechanism
(roof and wall installation)



Standard mechanism with Support Profile
(wall installation)



Standard mechanism with Support Profile
(roof installation)



Technical Specifications Optima 250A

Bracket colors

Standard Mechanism



- 25mm iron pipe
- Plastic brackets in various colors

Bracket colours for Single & Double Roller with support profile



Technical Specifications Optima 250A




Advantages

The Optima 250A free-hanging roller system is designed for medium-sized windows and window recesses. The installation is done with screws and a special bracket fixing system. Rollers can be mounted on the wall or ceiling and in recesses. The roller is controlled by a chain with a plastic ball diameter of 4.5 mm. Replacing the fabric is very simple thanks to a special bracket locking system, after removing the shaft with the fabric without uninstalling the brackets. A decent range of component colors is offered for this system, allowing you to match the whole to your window or interior color.

- simple construction and easy installation
- easy fabric replacement without the need to disassemble the roller
- easy pre-measurement
- wide variety of fabrics



Planning Information Optima 250A



Maximum Dimensions (Quick reference only, depending on type of fabric)			
Maximum Width (m)	Maximum Height (m)	Maximum Surface (m ²)	Fabric
1.95	3	5.46	Plain
1.45	3	4.06	Blackout
1.25	3	3.5	Screen

Company Profile

Optima blinds are supplied exclusively by N. Assimakopoulos SA being the largest manufacturing company in natural light control system applications while exceeding 50 years of specialization and involving staff/partners of 40 people.

In privately owned facilities of 5,000 sq.m. in Elliniko the company sells its products with vertical organization that optimizes cost, quality and delivery time through:

- Import or domestic production of A & B materials.
- Processing and assembly using hydraulic/pneumatic forming machines for cutting/drilling aluminum sheets or profiles, laser/ultrasonic plotters and machine tools of own machine shop down to finished, aesthetically and functionally tested final systems.
- Study and project management by specialized engineers/designers and implementers of proven know-how who offer long lasting reliable solutions to special requirements.
- Installation by specialized crews trained and supervised by engineers with over 25 years of experience in the organization of construction sites and technical applications.
- After-sales support (maintenance, repair, spare parts).
- ISO 9001/14001 certified customer-order/environmental management procedures respectively.

Head Office - Factory:
2 Rizountos Str. & Thrakis Str. 16777,
Elliniko, Athens GR
(+30) 210 9600 960
(fax) 210 9607 429
info@assimakopoulos.gr

Optima Elements Voula:
58 Vouliagmenis Ave.,
16673, Greece
210 9680539,
210 9680739
voula@optimaelements.gr

Optima Elements Marousi:
Marousi - 139 Kifisias Ave.
& Marathonodromou,
15124, Greece
210 8054190, 210 8054580
marousi@optimaelements.gr